

In re: Hind et al.
Serial No.: 09/614,983
Filed: July 12, 2000
Page 2 of 17

The listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims

1. (Currently Amended) A method of controlling updates of a programmable memory of a device, the method comprising:

obtaining an update image corresponding to the update of the programmable memory;
obtaining a certificate associated with the update image, the certificate having update application rules in at least one extension of the certificate;

extracting the update application rules from the at least one extension of the obtained certificate; and

selectively updating the programmable memory based on the update image and the update application rules extracted from the obtained certificate;

wherein the update application rules comprise rules which identify installation information provided with the update image and wherein the step of updating the programmable memory comprises updating the programmable memory utilizing the installation information provided with the update image; and

wherein the installation information comprises an install program and wherein the step of updating the programmable memory utilizing the installation information comprises executing the install program to write the update data to the programmable memory.

2. (Original) A method according to Claim 1, wherein the update application rules comprise at least one of rules information associated with a manufacturer of the device, rules information associated with a brand of the device, rules information associated with a software version of the device, rules information associated with a license authorization of the device or rules associated with the individual device.

3. (Original) A method according to Claim 1, wherein the update application rules comprise rules defining devices for which application of the update image is authorized.

4. (Original) A method according to Claim 3, wherein the rules defining devices comprise rules specifying at least one of authorized device serial numbers, authorized

In re: Hind et al.
Serial No.: 09/614,983
Filed: July 12, 2000
Page 3 of 17

firmware versions, authorized device manufacturers and authorized users associated with a device.

5. (Original) A method according to Claim 1, wherein the update application rules comprise rules defining how data from the update image is utilized to update the programmable memory.

6-7. Cancelled.

8. (Original) A method according to Claim 1, further comprising verifying the authenticity of the update image.

9. (Original) A method according to Claim 8, wherein the step of verifying the authenticity of the update comprises the step of evaluating the certificate associated with the update image to determine if a valid digital signature is provided with the image.

10. (Original) A method according to Claim 8, wherein the step of verifying the authenticity of the update image comprises the step of determining if a valid digital signature is provided with the image by decrypting the digital signature provided with the image using a shared secret.

11. (Original) A method according to Claim 9, wherein the step of evaluating the certificate comprises the steps of:

decrypting a digital signature of the certificate utilizing a public key of a certificate authority accessible to the update program; and

comparing the decrypted digital signature with a precomputed value to determine if the digital signature is a valid digital signature associated with the certificate authority.

12. (Original) A method according to Claim 11, wherein the public key is stored in a non-updateable memory.

In re: Hind et al.
Serial No.: 09/614,983
Filed: July 12, 2000
Page 4 of 17

13. (Original) A method according to Claim 11, further comprising the steps of:

providing the public key of the certificate authority in a previous version of data to be stored in the programmable memory; and

wherein the step of decrypting a digital signature of the certificate utilizing a public key further comprises the step of obtaining the public key from the programmable memory.

14. (Original) A method according to Claim 8, wherein the update image includes a plurality of certificates in a hierarchy of certificates and wherein the step of verifying the authenticity of the update comprises the step of evaluating certificates of the plurality of certificates in the update image to determine if a valid digital signature is provided with the certificates of the update image.

15. (Original) A method according to Claim 14, wherein the step of evaluating each of the digital certificates comprises the steps of:

decrypting a digital signature of a certificate utilizing a public key associated with a next-higher certificate in the hierarchy;

comparing the decrypted digital signature with a precomputed value to determine if the digital signature is a valid digital signature associated with the certificate;

obtaining a public key associated with another of the digital certificates;

repeating the steps of decrypting and comparing utilizing the obtained public key associated with another of the digital certificates; and

wherein the step of obtaining a public key is repeated until a public key associated with a digital certificate of a trusted certificate authority is obtained, and comparing the of the trusted certificate authority public key with a predetermined value.

16. (Original) A method according to Claim 1, wherein the update image includes a plurality of certificates in a hierarchy of certificates and wherein the extracting the update application rules comprises the step of extracting update application rules from each of the certificates in the hierarchy of certificates having update application rules provided in an extension of the certification.

In re: Hind et al.
Serial No.: 09/614,983
Filed: July 12, 2000
Page 5 of 17

17. (Original) A method according to Claim 16, wherein the programmable memory is updated with the update image only if all of the update application rules indicate that the update image is applicable to the device.

18. (Original) A method according to Claim 16, wherein the programmable memory is updated with the update image if any of the update application rules indicate that the update image is applicable to the device.

19. (Original) A method according to Claim 1, wherein the programmable memory is updated with the update image if any of the update application rules indicate that the update image is applicable to the device.

20. (Original) A method according to Claim 1, wherein the programmable memory is updated with the update image only if all of the update application rules indicate that the update image is applicable to the device.

21. (Currently Amended) A system for controlling updates of a programmable memory of a device, comprising:

means for obtaining an update image corresponding to the update of the programmable memory;

means for obtaining a certificate associated with the update image, the certificate having update application rules in at least one extension of the certificate;

means for extracting the update application rules from the at least one extension of the obtained certificate; and

means for selectively updating the programmable memory based on the update image and the update application rules extracted from the obtained certificate;

wherein the update application rules comprise rules which identify installation information provided with the update image and wherein the means for updating the programmable memory comprises means for updating the programmable memory utilizing the installation information provided with the update image; and

In re: Hind et al.
Serial No.: 09/614,983
Filed: July 12, 2000
Page 6 of 17

wherein the installation information comprises an install program and wherein means for updating the programmable memory utilizing the installation information comprises means for executing the install program to write the update data to the programmable memory.

22. (Original) A system according to Claim 21, wherein the update application rules comprise at least one of rules information associated with a manufacturer of the device, rules information associated with a brand of the device, rules information associated with a software version of the device, rules information associated with a license authorization of the device or rules associated with the individual device.

23. (Original) A system according to Claim 21, wherein the update application rules comprise rules defining devices for which application of the update image is authorized.

24. (Original) A system according to Claim 23, wherein the rules defining devices comprise rules specifying at least one of authorized device serial numbers, authorized firmware versions, authorized device manufacturers and authorized users associated with a device.

25. (Original) A system according to Claim 21, wherein the update application rules comprise rules defining how data from the update image is utilized to update the programmable memory.

26-27. Cancelled.

28. (Original) A system according to Claim 21, further comprising means for verifying the authenticity of the update image.

29. (Original) A system according to Claim 28, wherein the means for verifying the authenticity of the update comprises means for evaluating the certificate

In re: Hind et al.
Serial No.: 09/614,983
Filed: July 12, 2000
Page 7 of 17

associated with the update image to determine if a valid digital signature is provided with the image.

30. (Original) A system according to Claim 28, wherein the means for verifying the authenticity of the update image comprises means for determining if a valid digital signature is provided with the image by decrypting the digital signature provided with the image using a shared secret.

31. (Original) A system according to Claim 29, wherein the means for evaluating the certificate comprises:

means for decrypting a digital signature of the certificate utilizing a public key of a certificate authority accessible to the update program; and

means for comparing the decrypted digital signature with a precomputed value to determine if the digital signature is a valid digital signature associated with the certificate authority.

32. (Original) A system according to Claim 31, wherein the public key is stored in a non-updateable memory.

33. (Original) A system according to Claim 31, further comprising:

means for providing the public key of the certificate authority in a previous version of data to be stored in the programmable memory; and

wherein the means for decrypting a digital signature of the certificate utilizing a public key further comprises means for obtaining the public key from the programmable memory.

34. (Original) A system according to Claim 28, wherein the update image includes a plurality of certificates in a hierarchy of certificates and wherein the means for verifying the authenticity of the update comprises means for evaluating certificates of the plurality of certificates in the update image to determine if a valid digital signature is provided with evaluated certificates of the update image.

In re: Hind et al.
Serial No.: 09/614,983
Filed: July 12, 2000
Page 8 of 17

35. (Original) A system according to Claim 34, wherein the means for evaluating each of the digital certificates comprises:

means for decrypting a digital signature of a certificate utilizing a public key associated with a next-higher certificate in the hierarchy;

means for comparing the decrypted digital signature with a precomputed value to determine if the digital signature is a valid digital signature associated with the certificate;

means for obtaining a public key associated with another of the digital certificates;

means for repeatedly obtaining a public key, decrypting a digital signature and comparing the decrypted digital signature with a precomputed value until a public key associated with a digital certificate of a trusted certificate authority is obtained; and

means for comparing the public key of the digital certificate of the trusted certificate authority with a predetermined value.

36. (Original) A system according to Claim 21, wherein the update image includes a plurality of certificates in a hierarchy of certificates and wherein the means for extracting the update application rules comprises means for extracting update application rules from each of the certificates in the hierarchy of certificates having update application rules provided in an extension of the certification.

37. (Original) A system according to Claim 36, wherein the programmable memory is updated with the update image only if all of the update application rules indicate that the update image is applicable to the device.

38. (Original) A system according to Claim 36, wherein the programmable memory is updated with the update image if any of the update application rules indicate that the update image is applicable to the device.

39. (Original) A system according to Claim 21, wherein the programmable memory is updated with the update image if any of the update application rules indicate that the update image is applicable to the device.

In re: Hind et al.
Serial No.: 09/614,983
Filed: July 12, 2000
Page 9 of 17

40. (Original) A system according to Claim 21, wherein the programmable memory is updated with the update image only if all of the update application rules indicate that the update image is applicable to the device.

41. (Currently Amended) A computer program product for controlling updates of a programmable memory of a device, comprising:

a computer readable media having computer readable program code embodied therein, the computer readable program code comprising:

computer readable program code which obtains an update image corresponding to the update of the programmable memory;

computer readable program code which obtains a certificate associated with the update image, the certificate having update application rules in at least one extension of the certificate;

computer readable program code which extracts the update application rules from the at least one extension of the obtained certificate; and

computer readable program code which selectively updates the programmable memory based on the update image and the update application rules extracted from the obtained certificate;

wherein the update application rules comprise rules which identify installation information provided with the update image and wherein the computer readable program code which updates the programmable memory comprises computer readable program code which updates the programmable memory utilizing the installation information provided with the update image; and

wherein the installation information comprises an install program and wherein the computer readable program code which updates the programmable memory utilizing the installation information comprises computer readable program code which executes the install program to write the update data to the programmable memory.

42. (Original) A computer program product according to Claim 41, wherein the update application rules comprise at least one of rules information associated with a

In re: Hind et al.
Serial No.: 09/614,983
Filed: July 12, 2000
Page 10 of 17

manufacturer of the device, rules information associated with a brand of the device, rules information associated with a software version of the device, rules information associated with a license authorization of the device or rules associated with the individual device.

43. (Original) A computer program product according to Claim 41, wherein the update application rules comprise rules defining devices for which application of the update image is authorized.

44. (Original) A computer program product according to Claim 43, wherein the rules defining devices comprise rules specifying at least one of authorized device serial numbers, authorized firmware versions, authorized device manufacturers and authorized users associated with a device.

45. (Original) A computer program product according to Claim 41, wherein the update application rules comprise rules defining how data from the update image is utilized to update the programmable memory.

46-47. Cancelled.

48. (Original) A computer program product according to Claim 41, further comprising computer readable program code which verifies the authenticity of the update image.

49. (Original) A computer program product according to Claim 48, wherein the computer readable program code which verifies the authenticity of the update comprises computer readable program code which evaluates the certificate associated with the update image to determine if a valid digital signature is provided with the image.

50. (Original) A computer program product according to Claim 48, wherein the computer readable program code which verifies the authenticity of the update image comprises computer readable program code which determines if a valid digital signature is

In re: Hind et al.
Serial No.: 09/614,983
Filed: July 12, 2000
Page 11 of 17

provided with the image by decrypting the digital signature provided with the image using a shared secret.

51. (Original) A computer program product according to Claim 49, wherein the computer readable program code which evaluates the certificate comprises:

computer readable program code which decrypts a digital signature of the certificate utilizing a public key of a certificate authority accessible to the update program; and

computer readable program code which compares the decrypted digital signature with a precomputed value to determine if the digital signature is a valid digital signature associated with the certificate authority.

52. (Original) A computer program product according to Claim 51, wherein the public key is stored in a non-updateable memory.

53. (Original) A computer program product according to Claim 51, further comprising:

computer readable program code which provides the public key of the certificate authority in a previous version of data to be stored in the programmable memory; and

wherein the computer readable program code which decrypts a digital signature of the certificate utilizing a public key further comprises computer readable program code which obtains the public key from the programmable memory.

54. (Original) A computer program product according to Claim 48, wherein the update image includes a plurality of certificates in a hierarchy of certificates and wherein the computer readable program code which verifies the authenticity of the update comprises computer readable program code which evaluates certificates of the plurality of certificates in the update image to determine if a valid digital signature is provided with the evaluated certificates of the update image.

In re: Hind et al.
Serial No.: 09/614,983
Filed: July 12, 2000
Page 12 of 17

55. (Original) A computer program product according to Claim 54, wherein the computer readable program code which evaluates each of the digital certificates comprises:

computer readable program code which decrypts a digital signature of a certificate utilizing a public key associated with a next-higher certificate in the hierarchy;

computer readable program code which compares the decrypted digital signature with a precomputed value to determine if the digital signature is a valid digital signature associated with the certificate;

computer readable program code which obtains a public key associated with another of the digital certificates;

computer readable program code which repeatedly obtains a public key, decrypts a digital signature and compares the decrypted digital signature with a precomputed value until a public key associated with a digital certificate of a trusted certificate authority is obtained; and

computer readable program code which compares the public key of the digital certificate of the trusted certificate authority with a predetermined value.

56. (Original) A computer program product according to Claim 41, wherein the update image includes a plurality of certificates in a hierarchy of certificates and wherein the computer readable program code which extracts the update application rules comprises computer readable program code which extracts update application rules from each of the certificates in the hierarchy of certificates having update application rules provided in an extension of the certification.

57. (Original) A computer program product according to Claim 56, wherein the programmable memory is updated with the update image only if all of the update application rules indicate that the update image is applicable to the device.

58. (Original) A computer program product according to Claim 56, wherein the programmable memory is updated with the update image if any of the update application rules indicate that the update image is applicable to the device.

In re: Hind et al.
Serial No.: 09/614,983
Filed: July 12, 2000
Page 13 of 17

59. (Original) A computer program product according to Claim 41, wherein the programmable memory is updated with the update image if any of the update application rules indicate that the update image is applicable to the device.

60. (Original) A computer program product according to Claim 41, wherein the programmable memory is updated with the update image only if all of the update application rules indicate that the update image is applicable to the device.

61-74. Cancelled.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.